

## Nearby Stars Data Summary

- (1) Proper or common name. Proper name or a distinctive catalog designation  
 (2) Gliese-Jahreiss number from the Preliminary 3rd Catalog of Nearby Stars (CNS)  
 (3) Component: Lettered if in multiple system. Usually in order of discovery  
 (4) Spectral and luminosity classification (O-T, I-VII) with notes:  
 e: emission lines; fl: flares noted; var: variable; DA, Z9 etc.: white dwarfs  
 (5) Apparent visual magnitude  
 (6) Right Ascension: Time at highest point in the sky vs. that of the point of Ares  
 (7) Declination (celestial latitude, north or south of the projected equator)  
 (8) Distance in light years

- (9) Absolute bolometric luminosity (calculated)  
 (10) The distance of a planet from the star at which  
 its insolation would equal Earth's  
 (11) Estimated mass of the star  
 (12) Multiple star orbit reference:  
 A@B means "A orbited by B."  
 (13) Scale of orbit in AU's. If a period is given, this is  
 the semimajor axis, if not, a projected or estimated separation  
 (14) The period of the orbit in years.

Identification	Position								Physical info			Multiple information			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)		
Proper or line	common name	Gliese CNS3	cmp	Spectral Class	mV mag.	R.A. Hours	Dec. Degrees	Dist LY	Lum Sol = 1	E. ins. dist. AU	Mass Sol = 1	Mult. Orb ref	scale AU	Period (years)	
1	Sun	0		G2V	-26.7	0	0	0	1.008221	1.004	1				
2	Proxima	551	C?	M5V e fl	11.05	14.497	-62.681	4.22	0.000609	0.025	0.11	AB@C	14144		
3	α Centauri A	559	A	G0V	-0.01	14.661	-60.835	4.39	1.671290	1.293	1.14	A			
4	α Centauri B	559	B	K1V	1.33	14.661	-60.839	4.39	0.579498	0.761	0.92	A@B	24.11	81.180	
5	Barnard's Star	699		M4V	9.55	17.964	4.668	5.94	0.003474	0.059	0.17				
6	Wolf 359	406		M6V	13.45	10.945	7.053	7.8	0.000354	0.019	0.09				
7	Lalande 21185	411		M2V	7.48	11.056	35.981	8.31	0.029143	0.171	0.46				
8	BL Ceti	65	A	M5.5V e	12.57	1.647	-17.958	8.57	0.000771	0.028	0.11	A			
9	UV Ceti	65	B	M5.5V e fl	12.52	1.647	-17.958	8.57	0.000807	0.028	0.1	A@B	6.439	26.52	
10	Sirius A	244	A	A0V	-1.43	6.753	-16.713	8.6	26.438720	5.142	1.99	A			
11	Sirius B	244	B	B1VII DA	8.44	6.753	-16.699	8.6	0.027179	0.165	1.01	A@B	28.75	50.090	
12	Ross 154	729		M3.5V e	10.46	18.83	-23.836	9.69	0.003598	0.06	0.17				
13	Ross 248	905		M6V e	12.29	23.698	44.197	10.33	0.001810	0.043	0.12				
14	ε Eridani	144		K2V	3.73	3.549	-9.458	10.5	0.379470	0.616	0.85				
15	Lacaille 9352	887		M2.5V	7.34	23.096	-35.856	10.73	0.062307	0.25	0.53				
16	Ross 128	447		M4.5V	11.12	11.796	0.808	10.89	0.003228	0.057	0.16				
17	Luyten 789-6A	866	A	M5.5V e	12.33	22.64	-15.334	11.08	0.001603	0.04	0.11	A			
18	Luyten 789-6C	866	C	M5.5V e	12.33	22.64	-15.334	11.08	0.001603	0.04	0.11	A@C	0.0424	0.019	
19	Luyten 789-6B	866	B	M5.5V e	12.33	22.64	-15.334	11.08	0.001603	0.04	0.11	AC@B	1.272	2.251	
20	ProcyonA	280	A	F5V-IV	0.38	7.655	5.228	11.41	7.576708	2.753	1.57	A			
21	ProcyonB	280	B	A7VII DA6	10.7	7.656	5.241	11.41	0.000550	0.023	0.6	A@B	28.92	40.820	
22	61 Cygni A	820	A	K5V	5.21	21.114	38.741	11.36	0.149914	0.387	0.7	A			
23	61 Cygni B	820	B	K7V fl	6.03	21.114	38.734	11.43	0.093118	0.305	0.63	A@B	105.7	659?	
24	Struve 2398A	725	A	M3V	8.91	18.713	59.622	11.47	0.018875	0.137	0.35	A			
25	Struve 2398B	725	B	M3.5V	9.69	18.713	59.626	11.47	0.010231	0.101	0.26	A@B	68.41	408	
26	Struve 2398C	725	C	M9V e	12.8	19.283	5.167	11.47	0.019948	0.141	0.13	AB@C	335.1		
27	Groombridge 34A	15	A	M1V fl	8.08	0.306	44.022	11.64	0.025636	0.16	0.49	A			
28	Groombridge 34B	15	B	M6V e	11.06	0.302	44.018	11.64	0.007126	0.084	0.16	A@B	167.2	2600?	
29	DX Cancri	1111		M6.5V	14.81	8.498	26.787	11.83	0.000261	0.016	0.09				
30	ε Indi A	845	A	K5V	4.69	22.055	-56.78	11.83	0.262384	0.512	0.67				
31	ε Indi B	845	B	L8.5V	32.99	22.055	-56.78	11.83	0.000000	0.001	0.03	A@BC	2063		
32	ε Indi C	845	C	T4V	54.75	22.055	-56.78	11.83	0.000000	0	0.02	B@C	3.112	24?	
33	τ Ceti	71		G8V	3.49	1.735	-15.94	11.9	0.515181	0.718	0.92				

line	Proper or common name	Gliese 3rd CNS	cmp	Spectral Class	mV mag.	R.A. Hours	Dec. Degrees	Dist LY	Lum Sol = 1	E. ins. dist. AU	Mass Sol = 1	Mult. Orb ref	scale AU	Period (years)
34	YZ Cet	54.1		M5.5V	12.05	1.208	-17.001	12.12	0.002491	0.05	0.14			
35	Luyten's Star	273		M5V	9.85	7.457	5.235	12.39	0.015821	0.126	0.26			
36	Kapteyn's Star	191		M0V	8.85	5.193	-45.004	12.78	0.012191	0.11	0.39			
37	LaCaille 8760	825		M1.5V	6.67	21.288	-38.865	12.87	0.130164	0.361	0.6			
38	Kruger60A	860	A	M2V	9.85	22.467	57.697	13.07	0.008124	0.09	0.28	A		
39	Kruger60B	860	B	M6V fl	11.3	22.468	57.702	13.07	0.007208	0.085	0.16	A@B	43.11	44.670
40	DENIS 1048-3956			M9V	16.5	10.802	-39.934	13.16	0.000870	0.029	0.08			
41	Ross 614A	234	A	M4.5V e	11.13	6.49	-2.812	13.43	0.004866	0.07	0.17	A		
42	Ross 614B	234	B	M8V	14.6	6.489	-2.803	13.43	0.000826	0.029	0.1	A@B	5.598	16.500
43	Wolf 1061	628		M4V	10.08	16.505	-12.66	13.91	0.011686	0.108	0.26			
44	L372-58	1061		M4.5V	13.03	3.599	-44.506	14	0.000919	0.03	0.11			
45	Wolf 424A	473	A	M5.5V e	13.04	12.556	9.017	14.05	0.001344	0.037	0.14	A		
46	Wolf 424B	473	B	M7V	13.3	12.556	9.017	14.05	0.001661	0.041	0.13	A@B	3.998	15.900
47	Gliese 1	1		M2V	8.54	0.089	-37.352	14.22	0.032142	0.179	0.83			
48	Van Maanen's Star	35		F2VII DZ7	12.38	0.819	5.395	14.37	0.000187	0.014	0.83			
49	Gliese 3522	3522		M4V	10.89	8.982	8.48	14.56	0.006074	0.078	0.22			
50	TZ Ari	83.1		M8V e	12.28	2.003	13.078	14.57	0.008247	0.091	0.14			
51	Luyten 143-23	3618		M7V	13.92	10.743	-61.216	14.64	0.001019	0.032	0.11			
52	Luyten 622-8	563.2	A	M4V	11.66	14.826	-26.111	14.71	0.003048	0.055	0.19	A		
53	Luyten 622-7	563.2	B	M1.5V	12.11	14.826	-26.106	14.71	0.001133	0.034	0.17	A@B	172.2	
54	Gliese 3622	3622		M6.5V	15.6	10.803	-11.316	14.76	0.000196	0.014	0.08			
55	Gliese 687	687		M3.5	9.18	17.607	68.342	14.77	0.027152	0.165	0.39			
56	Gliese 674	674		K9V	9.37	17.478	-46.893	14.8	0.009039	0.095	0.36			
57	Gliese 1245A	1245	A	M5.5V e	13.41	19.898	44.423	14.83	0.001064	0.033	0.14	A		
58	Gliese 1245C	1245	C	M7V	16.66	19.898	44.423	14.83	0.000084	0.009	0.1	A@C	1.8	15.220
59	Gliese 1245B	1245	B	M6V	14.01	19.892	44.409	14.81	0.000763	0.028	0.13	AC@B	51.38	675?
60	Gliese 440	440		A3VII D?6	11.5	11.761	-64.841	15.07	0.000481	0.022	0.75			
61	Gleise 1002	1002		M5.3V	13.75	0.113	-7.513	15.33	0.000745	0.027	0.11			
62	Gliese 876	876		M5V	10.17	22.888	-14.262	15.33	0.018051	0.134	0.32			
63	Lalande 21258A	412	A	M2V	8.74	11.092	43.524	15.76	0.032833	0.181	0.48	A		
64	Lalande 21258B	412	B	M6V e	14.4	11.098	43.509	15.76	0.000603	0.025	0.1	A@B	200	3700?
65	Groombridge 1618	380		K8V	6.59	10.19	49.455	15.89	0.120474	0.347	0.64			
66	AD Leo	388		M4.5V e	9.40	10.327	19.871	16	0.033975	0.184	0.39			
67	Gliese 832	832		M1.5V	8.67	21.559	-49.007	16.1	0.032287	0.18	0.5			
68	Gliese 682	682		M3.5V	10.95	17.618	-44.317	16.45	0.006596	0.081	0.21			
69	40 Eridani A	166	A	K1V	4.43	4.255	-7.645	16.45	0.467323	0.684	0.89	A		
70	40 Eridani B	166	B	B7VII DA4	9.52	4.258	-7.61	16.45	0.007271	0.085	0.5	A@BC	400	7700?
71	40 Eridani C	166	C	M4.5V e	11.17	4.258	-7.61	16.45	0.007041	0.084	0.2	B@C	37.02	252.1
72	Gliese 873A	873	A	M3.5V e	10.6	22.781	44.335	16.47	0.009128	0.096	0.29	A		
73	Gliese 873B	873	B	M7V	13	22.781	44.34	16.47	0.003009	0.055	0.15	A@BC	221.4	
74	Gliese 873C	873	C	M7.5V	13.5	22.781	44.34	16.47	0.002549	0.05	0.14	B@C	3.57	12.5?
75	70 Ophiuchi A	702	A	K0V	4.21	18.091	2.502	16.59	0.550484	0.742	0.92	A		
76	70 Ophiuchi B	702	B	K5V e	6.00	18.091	2.514	16.59	0.154435	0.393	0.7	A@B	27.07	88.380
77	Altair	768		A7V-IV	Alta	19.846	8.867	16.77	22.825950	4.778	2.22	A		
78	Luyten 722-22A	1005	A	M4V	12.03	0.258	-16.132	17	0.002898	0.054	0.18	A		
79	Luyten 722-22B	1005	B	M7V	12.94	0.258	-16.132	17	0.003400	0.058	0.11	A@B	2.831	4.566
80	LP 944-020			L2V	18.50	3.656	-35.424	16.19	0.005753	0.076	0.06	A		
81	Gliese 1116 A	1116	A	M6V	14.06	8.972	19.764	17.05	0.000965	0.031	0.11	A		

line	Proper or common name	Gliese 3rd CNS	cmp	Spectral Class	mV mag.	R.A. Hours	Dec. Degrees	Dist LY	Lum Sol = 1	E. ins. dist. AU	Mass Sol = 1	Mult. Orb_ref	scale AU	Period (years)
82	Gliese 1116 B	1116	B	M8V	14.92	8.972	19.765	17.05	0.000992	0.031	0.1	A@B	30	360
83	LTT 17897	3379		M4V	11.33	6.001	2.708	17.51	0.005856	0.077	0.2			
84	Gliese 445	445		M4V	10.80	11.794	78.69	17.58	0.009625	0.098	0.24			
85	Wolf 498	526		M3V	8.46	13.762	14.895	17.71	0.068195	0.261	0.53			
86	LP 816-060	X3		M4V	11.41	20.876	-16.975	17.91	0.005690	0.075	0.19			
87	Stein 2051A	169.1	A	M3V	11.08	4.519	58.982	17.98	0.006294	0.079	0.22	A		
88	Stein 2051B	169.1	B	F0VII DC5	12.44	4.517	59.008	17.98	0.000270	0.016	0.68	A@B	0.4259	23.000
89	Wolf 358	402		M4V	11.65	10.848	6.81	18.38	0.004806	0.069	0.21			
90	Wolf 1453	754		M1V	7.96	5.524	-3.672	18.56	0.072838	0.27	0.57			
91	Luyten 347-14	205		M4.5V	12.23	19.346	-45.52	18.56	0.003376	0.058	0.16			
92	Wolf 294	251		M4V	10.01	6.914	33.276	18.79	0.022746	0.151	0.33			
93	sigma Draconis	764		K0V	4.68	19.539	69.665	18.81	0.459041	0.678	0.89			
94	Gliese 229A	229	A	M1.5V	8.14	6.176	-21.863	18.83	0.071937	0.268	0.56	A		
95	Gliese 229B	229	B	T6.9V	40.24	6.176	-21.863	18.83	0.000006	0.003	0.05	A@B	63.54	200?
96	Ross 47	213		M5V	11.53	5.702	12.493	18.88	0.007817	0.088	0.2			
97	Gliese 693	693		M5V	10.75	17.777	-57.316	18.95	0.016164	0.127	0.26			
98	Luyten 674-15	300		M4V	12.1	8.211	-21.542	19.19	0.003460	0.059	0.19			
99	Ross 652	752	A	M2.5V	9.13	19.282	5.169	19.16	0.038179	0.195	0.37	A		
100	VanBiesbroeck10	752	B	M8V fl	17.3	19.282	5.169	19.16	0.000140	0.012	0.08	A@B	770.9	
101	Lalande 27173A	570	A	K4V	5.75	14.958	-21.411	19.26	0.224173	0.473	0.76	A		
102	Lalande 27173B	570	B	M1V	8.1	14.954	-21.407	19.2	0.068528	0.262	0.55	A@BC	199.6	2130?
103	Lalande 27173C	570	C	M3V	9.94	14.954	-21.407	19.2	0.020505	0.143	0.35	B@C	0.9308	0.846
104	Lalande 27173D	570	D	T8V	46.47	14.953	-21.358	19.2	0.000003	0.002	0.02	A@D	2151	
105	Ross 882	285		M4.5V e	11.2	7.745	3.554	19.35	0.009470	0.097	0.23			
106	Gliese 588	588		M0V	9.31	15.537	-41.273	19.35	0.018310	0.135	0.46			
107	η Cassiopeiae A	34	A	G0V	3.45	0.818	57.817	19.42	1.347203	1.161	1.11	A		
108	η Cassiopeiae B	34	B	K7V	7.51	0.816	57.824	19.42	0.068775	0.262	0.6	A@B	125.2	480?
109	36 Ophiuchi A	663	A	K1V e	5.07	17.256	-26.588	19.52	0.364881	0.604	0.85	A		
110	36 Ophiuchi B	663	B	K2V	5.11	17.256	-26.6	19.52	0.368257	0.607	0.85	A@B	78.96	471?
111	V2215 Ophiuchi	664	C	K5V	6.33	17.27	-26.543	19.47	0.156913	0.396	0.71	AB@C	6179	
112	Lalande 46650	908		M1V	8.98	23.82	2.401	19.47	0.031320	0.177	0.51			
113	Gliese 783A	783	A	K2V	5.32	20.187	-36.097	19.74	0.310291	0.557	0.82	A		
114	Gliese 783B	783	B	M3.5V	11.5	20.186	-36.081	19.74	0.005725	0.076	0.2	A@B	59.92	
115	82 Eridani	139		G8V	4.26	3.331	-43.072	19.76	0.699724	0.836	0.97			
116	d Pavonis	780		G5IV var	3.56	20.145	-66.179	19.92	1.317478	1.148	1.1			
117	Wolf 1481	555		M4V	11.31	14.571	-12.521	19.95	0.007743	0.088	0.22			
118	Gliese 3323	3323		M4.5V	12.1	5.033	-6.937	20.01	0.004422	0.066	0.2			
119	EGGR 372	1221		G7VII DX9p	14.15	17.805	70.86	20.03	0.00008	0.009	0.81			
120	Gliese 3454	3454		M5V	13.22	7.607	7.084	20.13	0.001875	0.043	0.15			
121	CD-32 13297	2130	A	M2V	10.49	17.77	-32.103	20.16	0.010720	0.104	0.3	A		
122	CD-32 13298	2130	Ba	M2V	11.39	17.771	-32.102	20.16	0.004679	0.068	0.23	A@B	218.6	
123	CD-32 13298	2130	Bb	M2V	11.39	17.771	-32.102	20.16	0.004679	0.068	0.23	Ba@Bb	4.372	13.500
124	Gliese 338A	338	A	M0V	7.62	9.24	52.688	20.18	0.094443	0.307	0.6	A		
125	Gliess 338B	338	B	K2V	7.71	9.241	52.688	20.45	0.036863	0.192	0.6			
126	Gliese 784	784		M0V	7.97	20.231	-45.164	20.24	0.068775	0.262	0.58			
127	Luyten 100-115	1128		M4.5V	12.78	9.715	-68.901	20.26	0.002423	0.049	0.17			
128	Gliese 3877	3877		M7V	17.05	14.944	-28.154	20.26	0.000109	0.01	0.08			
129	Gliese 896A	896	A	M3.5V e	10.32	23.531	19.937	20.38	0.018090	0.134	0.34	A		

line	Proper or common name	Gliese 3rd CNS	cmp	Spectral Class	mV mag.	R.A. Hours	Dec. Degrees	Dist LY	Lum Sol = 1	E. ins. dist. AU	Mass Sol = 1	Mult. Orb ref	scale AU	Period (years)
130	Gliese 896B	896	B	M4.5V e	12.4	23.531	19.938	20.38	0.003479	0.059	0.16	A@B	51.47	359?
131	Gliese 896C	896	C	M4V	11.5	23.531	19.938	20.38	0.006783	0.082	0.13	AB@C	433	
132	Gliese 896D	896	D	M7V	13.5	23.531	19.938	20.38	0.002907	0.054	0.09	AB@D	340.2	
133	Wolf 562	581		M3V	10.56	15.324	-7.722	20.45	0.013133	0.115	0.3			
134	DENIS 0255-47			L8V	29.05	2.918	-47.014	20.49	0.000029	0.005	0.03			
135	Gliese 661A	661	A	M3.5V	9.96	17.202	45.67	20.62	0.025808	0.161	0.32	A		
136	Gliese 661B	661	B	M4V	10.4	17.202	45.687	20.62	0.019132	0.138	0.29	A@B	4.5	13.000
137	Ross 986A	268	A	M4.5V var	11.49	7.167	38.532	20.74	0.008334	0.091	0.17	A		
138	Ross 986B	268	B	M6V	12.05	7.167	38.532	20.74	0.009097	0.095	0.16	A@B		0.028
139	Sand 215	2097		M4.5V	12.58	13.117	20.816	20.91	0.003103	0.056	0.18			
140	Gliese 3959	3959		M5V fl	14.76	16.52	40.859	20.91	0.000490	0.022	0.12			
141	EGGR 45	9193		K1VII DZ9	14.45	5.919	-4.138	21.07	0.000076	0.009	0.77			
142	Gliese 644A	644	A	M3V e	9.04	16.925	-8.334	21.05	0.056429	0.238	0.41	A		
143	Gliese 644Ba	644	Ba	M4V e	9.8	16.925	-8.325	21.05	0.034634	0.186	0.34	A@B	5.135	1.717
144	Gliese 644Bb	644	Bb	M4V e	10.4	16.925	-8.325	21.05	0.019930	0.141	0.3	Ba@Bb	0.0368	0.008
145	VanBiesbroeck 8	644	D	M7V fl	16.7	16.927	-8.384	21.05	0.000163	0.013	0.08	AB@D	2008	
146	Gliese 643	643	E	M4V	11.8	16.924	-8.32	21.18	0.005561	0.075	0.19	AB@E	643.1	
147	Gliese 892	892		K3V	5.56	23.221	57.168	21.28	0.311355	0.558	0.81			
148	Luyten1190-34	1156		M5V e	13.81	12.318	11.122	21.33	0.001222	0.035	0.12			
149	Gliese 625	625		M2V	10.12	16.423	54.305	21.47	0.017089	0.131	0.37			
150	Ross 104	408		M3V	10.02	11.001	22.834	21.61	0.024114	0.155	0.39			
151	ξ Bootis A	566	A	G8V	4.7	14.856	19.101	21.85	0.570313	0.755	0.94	A		
152	ξ Bootis B	566	B	K4V e	6.97	14.856	19.101	21.85	0.093781	0.306	0.67	A@B	47.38	257?
153	Ross 775A	829	A	M4V	10	21.493	17.642	21.99	0.031461	0.177	0.27	A		
154	Ross 775B	829	B	M4V	10.5	21.493	17.642	21.99	0.019851	0.141	0.27	A@B	0.1414	0.146
155	Luyten 119-44	4285		M3.5V	11.45	22.632	-65.817	22.19	0.007575	0.087	0.24			
156	Ross 619	299		M3V	12.83	8.198	8.773	22.81	0.002020	0.045	0.15			
157	LP 771-95A	3192	A	M3V fl	11.94	3.031	-16.592	22.37	0.004423	0.067	0.21	A		
158	LP 771-96B	3193	B	M3V	11.32	3.031	-16.592	22.37	0.007807	0.088	0.24	A@BC	67.91	
159	LP 771-96C	3192	C	M5V	13.1	3.031	-16.592	22.37	0.002585	0.051	0.17	B@C	9.701	38?
160	Ross 671	880		M2V	8.67	22.943	16.554	22.45	0.071064	0.267	0.55			
161	Luyten 97-12	293		G5VII ?	14.08	7.884	-67.772	22.54	0.000105	0.01	0.72			
162	Gliese 667A	667	A	K4V	6.29	17.316	-34.99	22.74	0.189932	0.436	0.64	A		
163	Gliese 667B	667	B	K5V	7.2	17.315	-34.99	22.74	0.096073	0.31	0.57	A@C	17.85	42.150
164	Gliese 667C	667	C	M2.5V	10.24	17.315	-34.995	22.74	0.019346	0.139	0.31	A@B	303.7	
165	CCDM J17190-3459D	667	D	M6V cal	12.8	17.316	-34.987	22.74	0.00548	0.074	0.18	A@D	144	
166	Gliese 809	809		M2V	8.55	20.889	62.156	22.98	0.083125	0.288	0.56			
167	Luyten 471-42	3737		M4V ?	12.74	12.648	-38.357	23.46	0.002871	0.054	0.18			
168	HR 753A	105	A	K3V ?	5.82	2.601	6.883	23.51	0.299035	0.547	0.71	A		
169	HR 753B	105	B	M4.5V	11.66	2.603	6.852	23.51	0.009156	0.096	0.23	A@B	1.744	61.000
170	Gliese 1286	1286		M5V ?	14.69	23.586	-2.379	23.53	0.000661	0.026	0.12			
171	Ross 446	393		M2V ?	9.64	10.482	0.843	23.59	0.032094	0.179	0.36			
172	Gliese 3991A	3991	A	M3V ?	11.8	17.159	43.682	23.66	0.005614	0.075	0.23	A		
173	Gliese 3391B	3991	B	A0VII DA?	9.52	17.159	43.682	23.66	0.015040	0.123	0.5	A@B		0.040
174	Gliese 4053	4053		M6V ?	13.48	18.315	66.198	23.76	0.003196	0.057	0.16			
175	Gliese 1230A	1230	Aa	M5V ?	13.3	18.685	24.784	23.98	0.002471	0.05	0.24	Aa		
176	Gliese 1230C	1230	Ab	M5V ?	13.3	18.685	24.784	23.98	0.002471	0.05	0.23	Ab	0.045	0.014
177	Gliese 1230B	1230	B	M7V ?	14.4	18.685	24.786	23.98	0.001758	0.042	0.13	A@B	1.373	57.320

line	Proper or common name	Gliese 3rd CNS	cmp	Spectral Class	mV mag.	R.A. Hours	Dec. Degrees	Dist LY	Lum Sol = 1	E. ins. dist. AU	Mass Sol = 1	Mult. Orb ref	scale AU	Period (years)
178	Luyten 788-34	4274		M4V	13.25	22.385	-17.598	24.32	0.001928	0.044	0.17			
179	Wolf 25	33		K2V	5.74	0.806	5.283	24.33	0.320281	0.566	0.73			
180	HR 493	68		K1V	5.22	1.708	20.27	24.36	0.494737	0.703	0.8			
181	β Hydri	19		G2IV	2.8	0.428	-77.255	24.38	3.937473	1.984	0.82			
182	LHS 1070A	2005	A	M7.5V	15.52	0.412	-27.156	25.68	0.000967	0.031	0.1	A		
183	LHS 1070B	2005	B	M9V	18.78	0.412	-27.156	25.68	0.000405	0.02	0.08	A@BC	37.31	100?
184	LHS 1070C	2005	C	M9.5V	19.18	0.412	-27.156	25.68	0.000673	0.026	0.08	B@C	4.967	16.1
185	LHS 1070D	2005	D	M8.5V	17.28	0.412	-27.156	25.68	0.000643	0.025	0.09	A@D	0.1114	1.000
186	Gliese 1224	1224		M7V ?	13.63	18.126	-15.961	24.58	0.003752	0.061	0.16			
187	Ross 556	109		M3.5V e	10.57	2.737	25.524	24.63	0.020994	0.145	0.3			
188	μ Cassiopeiae A	53	A	G5V p	5.17	1.137	54.924	24.63	0.457324	0.676	0.81	A		
189	μ Cassiopeiae B	53	B	M4V ?	11.1	1.132	54.942	24.63	0.014329	0.12	0.26	A@B	7.885	21.4
190	Luyten 1813-21	3378		M5V ?	11.71	6.02	59.612	24.67	0.011312	0.106	0.23			
191	Ross 490	514		M1V	9.05	13.5	10.38	24.87	0.047936	0.219	0.42			
192	Gliese 879	879		K4V p	6.48	22.94	-31.565	24.91	0.191362	0.437	0.64			
193	Luyten 399-68	1093		M4V	12.24	12.68	-43.568	24.99	0.005160	0.072	0.21			
194	Fomalhaut	881		A3V	1.16	22.961	-29.622	25.07	18.347590	4.283	2.01			
195	Wolf 718	673		K7V	7.53	17.429	2.114	25.18	0.113551	0.337	0.56			
196	Gliese 3417	3417		M7V ?	13.65	6.965	62.331	25.28	0.003898	0.062	0.16			
197	Vega	721		A0V var	0.03	18.616	38.783	25.3	59.606280	7.721	2.76			
198	Gliese 1093	1093		M7V ?	14.83	6.99	19.362	25.3	0.001317	0.036	0.12			
199	Luyten 991-14	701		M2V	9.38	18.085	-3.031	25.43	0.047390	0.218	0.39			
200	Luyte 362-81	915		B9VII DA5	13.05	0.035	-43.157	25.44	0.000453	0.021	0.5			
201	Gliese 382	382		M3V	9.27	10.205	-3.745	25.48	0.066934	0.259	0.4			
202	DG Canis Ven	3789		M4V e	11.95	13.53	29.276	25.89	0.007232	0.085	0.23			
203	Gliese 793	793		M3V	10.56	20.509	65.449	25.96	0.021178	0.146	0.31			
204	Gliese1087	1087		G7VII AP9	14.1	5.941	5.378	26.07	0.000140	0.012	0.8			
205	Wolf 922A	831	A	M4V e ?	12.05	21.522	-9.791	26.13	0.006721	0.082	0.22	A		
206	Wolf 922B	831	B	M8V ?	14.9	21.521	-9.79	26.13	0.002374	0.049	0.12	A@B	2.47	0.430
207	Gliese 257A	257	A	M4V	11.5	6.963	-44.291	26.17	0.011190	0.106	0.25	A		
208	Gliese 257B	257	B	M4V	11.7	6.964	-44.289	26.17	0.007530	0.087	0.24	A@B	25	
209	1 Orionis	178		F6V	3.19	4.831	6.961	26.18	3.017384	1.737	1.28			
210	Gliese 623A	623	A	M3V	10.28	16.402	48.354	26.23	0.027976	0.167	0.51	A		
211	Gliese 623B	623	B	M9V	19.25	16.402	48.354	26.23	0.000275	0.017	0.06	A@B	0.5907	3.733
212	LP 701-29	1276		K4VII Z9	15.65	22.896	-6.772	26.26	0.000046	0.007	0.82			
213	χ DraA	713	A	F7V-IV var	3.57	18.351	72.734	26.28	2.156353	1.468	1.03	A		
214	χ DraB	713	B	K0V var	3.57	18.351	72.734	26.28	2.491073	1.578	0.75	A@B	1.402	0.768

Note: To create a spreadsheet, first copy and past this table into a word processor, use the find/change feature to replace the "|" with tabs, then paste into the spreadsheet.  
Compiled by Gerald Nordley, 2004